

HVU2 M8 - M30

Safety Data Sheet

According to SS 586 Part 3 (2022)
Issue date: 05.02.2025

Revision date: 05.02.2025

Supersedes: 10.01.2022

Version: 1.3

SECTION 1: Identification

1.1. Product identifier

Name	HVU2
Product code	BU Anchor
Chemical name	Adhesive Capsule HVU2
Generic name	HVU2 M8 - M30



1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use	Adhesive anchor capsule for anchor fastening in concrete
Restrictions on use	For professional use only

1.4. Supplier's details

Supplier

Hilti Far East Private Ltd.
80 Pasir Panjang Road, #16-83/84 Mapletree Business City Singapore
Singapur 117372
T +65 6777 7887 - F +65 6777 3057
sg-customerservice@hilti.com

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH
Hiltistraße 6 Kaufering Deutschland 86916
T +49 8191 906876
product.compliance-anchors@hilti.com

1.5. Emergency phone number

Emergency number	GBK GmbH Global Regulatory Compliance +49 (0)6132-84463
------------------	--

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Health hazards	Skin sensitisation, Category 1 Reproductive toxicity, Category 1B
Environmental hazards	Hazardous to the aquatic environment – Chronic Hazard, Category 2

2.2. GHS label elements, including precautionary statements

Hazard pictograms (GHS SG)



Signal word (GHS SG)

Danger

Hazard statements (GHS SG)

H317 : May cause an allergic skin reaction
H360 : May damage fertility or the unborn child
H411 : Toxic to aquatic life with long lasting effects

Precautionary statements

Prevention

P280 : Wear eye protection, protective clothing, protective gloves.
P262 : Do not get in eyes, on skin, or on clothing.

Response

P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 : If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 : If eye irritation persists: Get medical advice/attention.
P302+P352 : IF ON SKIN: Wash with plenty of soap and water.

HVU2 M8 - M30

Safety Data Sheet

According to SS 586 Part 3 (2022)

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Concentration (%)	Formula	Product identifier
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol	4 - < 8	C7H12O3	CAS-No.: 27813-02-1 EC-No.: 248-666-3 EC Index-No.: 607-125-00-5
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	2.5 – 5	C12H18O4	CAS-No.: 2082-81-7 EC-No.: 218-218-1
dibenzoyl peroxide	0.5 - < 1.5	C14H10O4	CAS-No.: 94-36-0 EC-No.: 202-327-6 EC Index-No.: 617-008-00-0
dicyclohexyl phthalate	1 – 2.5	C20H26O4	CAS-No.: 84-61-7 EC-No.: 201-545-9
1,1'-(p-tolylimino)dipropan-2-ol	< 0.5	C13H21NO2	CAS-No.: 38668-48-3 EC-No.: 254-075-1

SECTION 4: First-aid measures

4.1. Description of necessary first aid measures

First-aid measures general	Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
Inhalation	Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
Skin contact	Wash contaminated clothing before reuse. Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists.
Ingestion	Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after skin contact	May cause an allergic skin reaction.
Chronic symptoms	May damage the unborn child.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	Treat symptomatically.
-----------------------------------	------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	Water spray. Carbon dioxide. Dry powder. Foam. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.

HVU2 M8 - M30

Safety Data Sheet

According to SS 586 Part 3 (2022)

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire Thermal decomposition generates : Carbon dioxide. Carbon monoxide.

5.3. Special protective actions for fire fighters

Firefighting instructions Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Self-contained breathing apparatus. Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard.

6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Use personal protective equipment as required. Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up This material and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product. Store away from other materials.

Other information Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep cool. Protect from sunlight. Expiry date: See date printed on box and capsule. Do not use if expiry date has been exceeded!.

Incompatible products Strong bases. Strong acids.

Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature 5 – 25 °C

Heat and ignition sources Keep away from heat and direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters/Occupational exposure limits

HVU2 M8 - M30	
Singapore - Occupational Exposure Limits	
PEL (OEL TWA)	5 mg/m ³
Regulatory reference	WSH (General Provision) Regulation 2014

HVU2 M8 - M30

Safety Data Sheet

According to SS 586 Part 3 (2022)

dibenzoyl peroxide (94-36-0)	
Singapore - Occupational Exposure Limits	
Local name	Benzoyl peroxide
PEL (OEL TWA)	5 mg/m ³
Regulatory reference	WSH Regulations 2014

8.2. Appropriate engineering control measures

Appropriate engineering controls Ensure adequate ventilation.

8.3. Personal protection – individual protection measures, such as personal protective equipment (PPE)

Hand protection Wear protective gloves. The permeation time is not the maximum wearing time! Generally speaking, it must be reduced. Contact with either mixtures of substances or different substances may shorten the protective function's effective duration. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

Eye protection Wear security glasses which protect from splashes

Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

Skin and body protection Wear suitable protective clothing

Personal protective equipment symbol(s)



Environmental exposure controls

Avoid release to the environment.

Consumer exposure controls

Avoid contact during pregnancy/while nursing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Solid
Appearance	foil capsule.
Colour	resin: yellowish liquid hardener: white powder
Odour	characteristic
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Evaporation rate	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	No data available
Flash point	> 101 °C (DIN EN ISO 1523)
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability	No data available
Vapour pressure	0.1 hPa
Relative vapour density at 20°C	No data available
Relative density	No data available

HVU2 M8 - M30

Safety Data Sheet

According to SS 586 Part 3 (2022)

Density	2.95 g/cm ³
Solubility	insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	No data available
Partition coefficient n-octanol/water (Log Kow)	No data available
Viscosity, kinematic	20 mm ² /s (ISO 2431)
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidising properties	No data available
Explosive limits	No data available
Particle size	No data available
Particle size distribution	No data available
Particle shape	No data available
Particle aspect ratio	No data available
Particle specific surface area	No data available

9.2. Other information

SADT	55 °C (Peroxide)
------	------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Acute toxicity

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)

LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	≥ 5000 mg/kg bodyweight (Rabbit; Experimental value)

2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)

LD50 oral rat	10066 mg/kg
LD50 oral	10060 mg/kg
LD50 dermal rat	> 3000 mg/kg

1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)

LD50 oral rat	25 mg/kg
---------------	----------

HVU2 M8 - M30

Safety Data Sheet

According to SS 586 Part 3 (2022)

1,1'-(p-tolylimino)dipropen-2-ol (38668-48-3)	
LD50 dermal rat	> 2000 mg/kg
dicyclohexyl phthalate (84-61-7)	
LD50 oral rat	41400 mg/kg (Rat)
LD50 oral	40000 mg/kg
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	May damage fertility or the unborn child.
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
HVU2 M8 - M30	
Viscosity, kinematic	20 mm²/s (ISO 2431)
Density	2.95 g/cm³
Potential adverse human health effects and symptoms	No additional information available.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Not classified.
Hazardous to the aquatic environment, long-term (chronic)	Toxic to aquatic life with long lasting effects.

dibenzoyl peroxide (94-36-0)	
LC50 - Fish [2]	0.0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
EC50 - Crustacea [1]	0.11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	0.0711 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
NOEC (acute)	0.0316 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC chronic fish	0.001 mg/l
Partition coefficient n-octanol/water (Log Pow)	3.71
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
LC50 - Fish [1]	493 mg/l (48 h; Leuciscus idus; GLP)
EC50 - Crustacea [1]	> 143 mg/l (48 h; Daphnia magna; GLP)
ErC50 algae	97.2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)

HVU2 M8 - M30

Safety Data Sheet

According to SS 586 Part 3 (2022)

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
BCF - Fish [1]	≤ 100
BCF - Fish [2]	3.2 Quantitative structure-activity relationship (QSAR)
Partition coefficient n-octanol/water (Log Pow)	0.97 (OECD 102 method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 (log Koc, Calculated value)
Threshold limit - Algae [1]	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
Threshold limit - Algae [2]	> 97.2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
LC50 - Other aquatic organisms [1]	9.79 mg/l
ErC50 algae	9.79 mg/l
NOEC (acute)	7.51 mg/l
NOEC (chronic)	20 mg/l
NOEC chronic crustacea	5.09 mg/l
NOEC chronic algae	2.11 mg/l
Partition coefficient n-octanol/water (Log Pow)	3.1
1,1'-(p-tolylimino)dipropen-2-ol (38668-48-3)	
LC50 - Fish [1]	≈ 17 mg/l
LC50 - Other aquatic organisms [1]	245 mg/l
EC50 - Crustacea [1]	28.8 mg/l
NOEC (acute)	57.8 mg/l
Partition coefficient n-octanol/water (Log Kow)	2.1
dicyclohexyl phthalate (84-61-7)	
LC50 - Fish [1]	> 10000 mg/l (96 h; Brachydanio rerio; Static system)
LC50 - Other aquatic organisms [1]	1.04 mg/l
EC50 - Crustacea [1]	2 mg/l
ErC50 algae	2 mg/l
NOEC (acute)	> 2 mg/l
NOEC chronic crustacea	0.181 mg/l
BCF - Fish [1]	640 (Pisces)
Partition coefficient n-octanol/water (Log Pow)	3 – 6.2
12.2. Persistence and degradability	
HVU2 M8 - M30	
Persistence and degradability	No additional information available
dibenzoyl peroxide (94-36-0)	
Persistence and degradability	Readily biodegradable in water. Not established. May cause long-term adverse effects in the environment.

HVU2 M8 - M30

Safety Data Sheet

According to SS 586 Part 3 (2022)

2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
Not rapidly degradable	
Persistence and degradability	Readily biodegradable in water.
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
Biodegradation	84 %
dicyclohexyl phthalate (84-61-7)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water.
ThOD	2.376 g O ₂ /g substance

12.3. Bioaccumulative potential

HVU2 M8 - M30	
Bioaccumulative potential	No additional information available
dibenzoyl peroxide (94-36-0)	
Partition coefficient n-octanol/water (Log Pow)	3.71
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
BCF - Fish [1]	≤ 100
BCF - Fish [2]	3.2 Quantitative structure-activity relationship (QSAR)
Partition coefficient n-octanol/water (Log Pow)	0.97 (OECD 102 method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 (log Koc, Calculated value)
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
Partition coefficient n-octanol/water (Log Pow)	3.1
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
Partition coefficient n-octanol/water (Log Kow)	2.1
dicyclohexyl phthalate (84-61-7)	
BCF - Fish [1]	640 (Pisces)
Partition coefficient n-octanol/water (Log Pow)	3 – 6.2
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).

12.4. Mobility in soil

HVU2 M8 - M30	
Mobility in soil	No additional information available
dibenzoyl peroxide (94-36-0)	
Surface tension	No data available (test not performed)
Partition coefficient n-octanol/water (Log Pow)	3.71
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)

HVU2 M8 - M30

Safety Data Sheet

According to SS 586 Part 3 (2022)

dibenzoyl peroxide (94-36-0)	
Ecology - soil	Low potential for mobility in soil.
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)	
Partition coefficient n-octanol/water (Log Pow)	0.97 (OECD 102 method)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester (2082-81-7)	
Partition coefficient n-octanol/water (Log Pow)	3.1
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
Partition coefficient n-octanol/water (Log Kow)	2.1
dicyclohexyl phthalate (84-61-7)	
Partition coefficient n-octanol/water (Log Pow)	3 – 6.2

12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available

SECTION 13: Disposal considerations

Product/Packaging disposal recommendations	After curing, the product can be disposed of with household waste. . Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product : Dispose in a safe manner in accordance with local/national regulations.
--	--

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
Special provision(s) applied : 375	Special provision(s) applied : 969	Special provision(s) applied : A197	Special provision(s) applied : 375
These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.			
14.1. UN number or ID number			
UN 3077	UN 3077	UN 3077	UN 3077
14.2. UN proper shipping name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)	Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)
Transport document description			
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, (-)	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III	UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III

HVU2 M8 - M30

Safety Data Sheet

According to SS 586 Part 3 (2022)

ADR	IMDG	IATA	RID
14.3. Transport hazard class(es)			
9	9	9	9
14.4. Packing group			
III	III	III	III
14.5. Environmental hazards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
Environmentally hazardous substances derogation applies (quantity of liquids ≤ 5 litres or net mass of solids ≤ 5 kg). The environmentally hazardous substance mark is therefore not required, as stated in the ADR regulation, section 5.2.1.8.1.			
not restricted according ADR Special Provision SP375, IATA-DGR Special Provision A197 and IMDG-Code 2.10.2.7			

14.6. Special precautions for user

Overland transport

Classification code (ADR)	M7
Special provisions (ADR)	274, 335, 375, 601
Limited quantities (ADR)	5kg
Packing instructions (ADR)	P002, IBC08, LP02, R001
Mixed packing provisions (ADR)	MP10
Transport category (ADR)	3
Orange plates	

Tunnel restriction code (ADR)

-

Transport by sea

Special provisions (IMDG)	274, 335, 966, 967, 969
Limited quantities (IMDG)	5 kg
Packing instructions (IMDG)	LP02, P002
EmS-No. (Fire)	F-A
EmS-No. (Spillage)	S-F
Stowage category (IMDG)	A
Stowage and handling (IMDG)	SW23

Air transport

PCA packing instructions (IATA)	956
PCA max net quantity (IATA)	400kg
CAO packing instructions (IATA)	956
Special provisions (IATA)	A97, A158, A179, A197, A215

Rail transport

Special provisions (RID)	274, 335, 375, 601
Limited quantities (RID)	5kg
Packing instructions (RID)	P002, IBC08, LP02, R001

HVU2 M8 - M30

Safety Data Sheet

According to SS 586 Part 3 (2022)

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

Regulation		Component / Mixture
Arms and Explosives Act	Not applicable	
Chemical Weapons Prohibition Act		
Environmental Protection and Management (Air Impurities) Regulations		
Environmental Protection and Management Act (Hazardous Substances)		
Environmental Public Health (Quality of Piped Drinking Water) Regulations		
Fire Safety Act/Fire Safety (Petroleum and Flammable Materials) Regulations		
Maritime and Port Authority of Singapore (Dangerous, Petroleum and Explosives) Regulations	Maritime and Port Authority-Dangerous Goods	Organic peroxide type B, solid
Misuse of Drugs Act	Not applicable	
Poisons Act		
Poisons Rules		
Hazardous waste (Control of export, import and transit) Act		
Strategic goods (Control) Act		

15.2. International regulations

No additional information available

15.3 Chemical inventory status

No additional information available

SECTION 16: Other information

Issue date	05/02/2025
Revision date	05/02/2025
Abbreviations and acronyms	ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road ATE - Acute Toxicity Estimate BCF - Bioconcentration factor CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 DMEL - Derived Minimal Effect level DNEL - Derived-No Effect Level EC50 - Median effective concentration IARC - International Agency for Research on Cancer IATA - International Air Transport Association IMDG - International Maritime Dangerous Goods LC50 - Median lethal concentration

HVU2 M8 - M30

Safety Data Sheet

According to SS 586 Part 3 (2022)

LD50 - Median lethal dose
 LOAEL - Lowest Observed Adverse Effect Level
 NOAEC - No-Observed Adverse Effect Concentration
 NOAEL - No-Observed Adverse Effect Level
 NOEC - No-Observed Effect Concentration
 OECD - Organisation for Economic Co-operation and Development
 PBT - Persistent Bioaccumulative Toxic
 PNEC - Predicted No-Effect Concentration
 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
 SDS - Safety Data Sheet
 vPvB - Very Persistent and Very Bioaccumulative
 None.

Other information

Indication of changes			
Section	Changed item	Change	Comments
	Regulations Singapore	Modified	According to SS 586 Part 3 (2022)
1	Department issuing data specification sheet	Modified	E-mail address
1	Emergency number	Modified	

SDS_SG_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.